

# Type: Default



## Variant 1: An alarm type with one or more tokens

- 1) Select the "Standard" type
- 2) Select the alarm type that you want to trigger with this configuration in EVALARM
- 3) Add one or more tokens for the subject line or the body of the email to the selected alarm type
- 4) Complete the process with "Create"

**Example**

Alarmtype: GLT failure    tk: failure

WORKFLOWS

USERS

LOCATION MANAGEMENT

LOGS

Administration

Create

E-MAIL SYSTEMS OVERVIEW > CREATE A NEW E-MAIL SYSTEM

Name \*

GLT

Prefix

GLT

Type \*

Default

Initiator \*

GLT Connector

Alarm types \*

Select

GLT failure

+ Add

Please add token for subject line

tk

failure

Back

Create

WORKFLOWS

USERS

LOCATION MANAGEMENT

LOGS

Administration

Create

E-MAIL SYSTEMS OVERVIEW > CREATE A NEW E-MAIL SYSTEM

Name \*

GLT

Prefix

GLT

Type \*

Default

Initiator \*

GLT Connector

Alarm types \*

Select

GLT failure

+ Add

Please add token for subject line

tk

failure 1

tk

failure 2

add another token

+ Add

Back

Create

## Variant 2: Several alarm types

- 1) Select the email type "Standard"
- 2) Select the alarm types that you want to trigger with this configuration in EVALARM
- 3) Add one or more tokens for the subject line of the email to each of the selected alarm types
- 4) Complete the process with "Create"

**Example**

Alarmtype: fire                      tk: fire

Alarmtype: GLT failure    tk: failure

WORKFLOWS

USERS

LOCATION MANAGEMENT

LOGS

Administration

Create

E-MAIL SYSTEMS OVERVIEW > CREATE A NEW E-MAIL SYSTEM

Name \*

GLT

Prefix

GLT

Type \*

Default

Initiator \*

GLT Connector

Alarm types \*

Select

Fire

+ Add

Please add token for subject line

tk

fire

GLT failure

+ Add

Please add token for subject line

tk

failure

Back

Create

## Generate alarm email

After the creation of the e-mail configuration, you can then generate the corresponding alarm e-mails.

To generate the email, click on gear symbol next to the respective token (tk).

Here you find the corresponding **email** and **reference**, based on the token you choose for triggering your alarmsystem.

If you would like to trigger a certain **alarm level** from an alarm type, select this in the tab. The system automatically adjusts the e-mail address.

If you only want a certain part of the email content to be displayed in the **system message** field of the alarm, please add "**ms:**" in front of the relevant part.



The token beginning with "tk:" and the separator "ms:" can be in the subject line as well as in the email body (text area) of the email. It is impossible to end the parts with a semikolon ";" ("tk: *token*;" bzw. "ms: *text*").

If you would like to send a test email, you can do. Using the corresponding button. Your standard e-mail program will be opened and the address and subject line will be pre-filled based on the selected configuration.

WORKFLOWS USERS LOCATION MANAGEMENT LOGS Administration Config

E-MAIL SYSTEMS OVERVIEW > GLT

DETAILS EVENTS

Name: GLT

Prefix: GLT

Type: Default

Initiator: GLT Connector

Active: ☒

Alarm types:

- Fire ☒ tk: fire
- GLT failure ☒ tk: failure

Last updated: 22.10.2020 11:42

Edit Delete

GENERATE ALARM E-MAIL

Without an alarm level

Address: GLT museum test-ATT@mailservice.evtalarm.de

Subject: tk: fire

The E-Mail body will be used as the alarm's message.  
If you want to display only parts of the body, please add "ms:" before the relevant part.

Send a test E-Mail

Last updated: 22.10.2020 11:44

Edit Delete